

## SAFETY DATA SHEET C6 5lt PURPLE BEER LINE CLEANER

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name C6 5lt PURPLE BEER LINE CLEANER  
Product No. SVTN5BLC

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses As product description

#### 1.3. Details of the supplier of the safety data sheet

Supplier James Briggs Limited  
Salmon Fields,  
Royton,  
Oldham, Lancashire  
OL2 6HZ,  
England  
0161 627 0101  
sds@jamesbriggs.co.uk

#### 1.4. Emergency telephone number

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Skin Corr. 1A - H314
Environment	Not classified.

#### 2.2. Label elements

Contains SODIUM HYDROXIDE

Label In Accordance With (EC) No. 1272/2008



Signal Word Danger

Hazard Statements

H314 Causes severe skin burns and eye damage.

Precautionary Statements

P102 Keep out of reach of children.  
P260 Do not breathe vapour/spray.  
P264 Wash contaminated skin thoroughly after handling.  
P280 Wear protective clothing, gloves, eye and face protection.  
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTER or doctor/physician if you feel unwell.  
P337+313 If eye irritation persists: Get medical advice/attention.  
P501 Dispose of contents/container in accordance with local regulations.

Supplementary Precautionary Statements

P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+361+353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

# C6 5lt PURPLE BEER LINE CLEANER

P304+340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P405

Store locked up.

## 2.3. Other hazards

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

POTASSIUM PERMANGANATE		< 1%
CAS-No.: 7722-64-7	EC No.: 231-760-3	
Classification (EC 1272/2008) Ox. Sol. 2 - H272 Acute Tox. 4 - H302 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	Classification (67/548/EEC) O;R8 Xn;R22 N;R50/53	
SODIUM HYDROXIDE		5-10%
CAS-No.: 1310-73-2	EC No.: 215-185-5	Registration Number: 01-2119457892-27-XXXX
Classification (EC 1272/2008) Skin Corr. 1A - H314	Classification (67/548/EEC) C;R35	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

##### Inhalation

Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

##### Ingestion

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately!

##### Skin contact

Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Continue to rinse for at least 15 minutes and seek medical attention.

##### Eye contact

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1. Extinguishing media

##### Extinguishing media

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

#### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

# C6 5lt PURPLE BEER LINE CLEANER

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.2. Environmental precautions

### 6.3. Methods and material for containment and cleaning up

Stop leak if possible without risk. DO NOT touch spilled material! Absorb in vermiculite, dry sand or earth and place into containers. Flush area with plenty of water. Do not let washing down water contaminate ponds or waterways.

### 6.4. Reference to other sections

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Avoid spilling, skin and eye contact.

### 7.2. Conditions for safe storage, including any incompatibilities

Store away from: Acids. Keep in original container.

Storage Class

Corrosive storage.

### 7.3. Specific end use(s)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
SODIUM HYDROXIDE	WEL				2 mg/m3	

WEL = Workplace Exposure Limit.

Ingredient Comments

WEL = Workplace Exposure Limits

### 8.2. Exposure controls

Protective equipment



Hand protection

Use full length gloves.

Eye protection

Wear full-face visor or shield.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

DO NOT SMOKE IN WORK AREA! Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Appearance

Liquid

Colour

Purple.

# C6 5lt PURPLE BEER LINE CLEANER

Odour	Odourless.
Solubility	Miscible with water
pH-Value, Conc. Solution	>12.0

## **9.2. Other information**

### **SECTION 10: STABILITY AND REACTIVITY**

#### **10.1. Reactivity**

#### **10.2. Chemical stability**

Stable under normal temperature conditions.

#### **10.3. Possibility of hazardous reactions**

#### **10.4. Conditions to avoid**

#### **10.5. Incompatible materials**

#### **10.6. Hazardous decomposition products**

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### **11.1. Information on toxicological effects**

##### Inhalation

Irritating to respiratory system. Vapour may irritate respiratory system or lungs. Prolonged inhalation of high concentrations may damage respiratory system. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

##### Ingestion

Causes burns. May cause burns in mucous membranes, throat, oesophagus and stomach. May cause severe internal injury. Severe abdominal pain.

##### Skin contact

Causes burns. May cause serious chemical burns to the skin. Contact with concentrated chemical may cause severe skin damage.

##### Eye contact

No specific health warnings noted. Causes burns. May cause chemical eye burns. Risk of serious damage to eyes. Irritation, burning, lachrymation, blurred vision after liquid splash. Risk of corneal damage.

##### Route of entry

Inhalation. Ingestion. Skin and/or eye contact.

##### Target Organs

Eyes Skin Respiratory system, lungs

### **SECTION 12: ECOLOGICAL INFORMATION**

##### Ecotoxicity

Dangerous for the environment if discharged into watercourses.

#### **12.1. Toxicity**

#### **12.2. Persistence and degradability**

##### Degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### **12.3. Bioaccumulative potential**

#### **12.4. Mobility in soil**

# C6 5lt PURPLE BEER LINE CLEANER

## 12.5. Results of PBT and vPvB assessment

## 12.6. Other adverse effects

### SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

### SECTION 14: TRANSPORT INFORMATION

## 14.1. UN number

UN No. (ADR/RID/ADN)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266

## 14.2. UN proper shipping name

Proper Shipping Name	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE)
Proper Shipping Name	corrosive liquid, basic, inorganic, n.o.s

## 14.3. Transport hazard class(es)

ADR/RID/ADN Class	8
ADR/RID/ADN Class	Class 8: Corrosive substances.
ADR Label No.	8
IMDG Class	8
ICAO Class/Division	8
Transport Labels	



## 14.4. Packing group

ADR/RID/ADN Packing group	II
IMDG Packing group	II
ICAO Packing group	II

## 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant  
No.

## 14.6. Special precautions for user

EMS	F-A, S-B
Emergency Action Code	2R
Hazard No. (ADR)	80
Hazard No. (ADR)	80 Corrosive or slightly corrosive substance.
Tunnel Restriction Code	(E)

# C6 5lt PURPLE BEER LINE CLEANER

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Notes

Workplace Exposure Limits EH40.

Introduction to Local Exhaust Ventilation HS(G)37.

EU Legislation

Regulation (EC) No.1272/2008 The Classification, Labelling and Packaging of substances and mixtures Regulations

Regulation (EC) No. 1907/2006 The Registration, Evaluation, Authorisation and Restriction of Chemicals Regulations (REACH)

2001/95/EC The General Product Safety Directive (GPSD)

Commission Regulation (EU) 2015/830 Requirements for the compilation of safety data sheets (amending REACH)

Authorisations (Title VII Regulation 1907/2006)

No specific authorisations are noted for this product.

Restrictions (Title VIII Regulation 1907/2006)

No specific restrictions of use are noted for this product.

#### 15.2. Chemical Safety Assessment

### SECTION 16: OTHER INFORMATION

Revision Date 07/06/2018

Revision 16

Supersedes date 05/12/2013

Hazard Statements In Full

H272 May intensify fire; oxidiser. , H302 Harmful if swallowed. , H314 Causes severe skin burns and eye damage. , H400 Very toxic to aquatic life. , H410 Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.