

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Other identifiers:** None.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product uses:** Fragrances

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** Quintessence Fragrances Ltd.

**Company address:** Units 2A Hawthorn Industrial Estate  
Avis Way  
Newhaven  
East Sussex  
BN9 0DJ

**Contact name:** James Moore

**E-Mail address:** james@quintessencegb.com

**Company phone:** 01273 519000

#### 1.4 Emergency telephone number

**Emergency phone:** 01273 519000

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Hazardous to the Aquatic Environment - Long-term Hazard Category 2  
H411, Toxic to aquatic life with long lasting effects.

##### **Classification under Directive 1999/45/EC**

**Hazard symbols:** N, Dangerous for the environment.

**Risk phrases:** R51/53, Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

#### 2.2 Label elements

**Signal word:** None.

**Hazard statements:** H411, Toxic to aquatic life with long lasting effects.

**Supplemental Information:** EUH208, Contains EUGENOL, METHYL-2-OCTYNOATE, CHROMEN-2-ONE, HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE, BUTYLPHENYL METHYLPROPIONAL, alpha-HEXYLCINNAMALDEHYDE, BENZYL SALICYLATE, METHYL

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

CEDRYL KETONE, 1,3-BENZODIOXOLE-5-CARBOXALDEHYDE. May produce an allergic reaction.

**Precautionary statements:**

P273, Avoid release to the environment.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



**Other hazards:**

None.

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

**Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (DSD) 67/548/EEC	Classification for (CLP) 1272/2008

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

BENZOIC ACID, PHENYL METHYL ESTER	120-51-4	204-402-9		1-<5%	Xn-N ; R22-R51/53	ATO 4-EH A1-EH C2; H302-H400-H411,-
Alpha-ISOMETHYLIONONE S. mixed isomers	1335-46-2	215-635-0		1-<5%	Xi-N ; R36/38-R51/53	SCI 2-EH C2;H315-H411,-
BENZYL ACETATE	140-11-4	205-399-7		1-<5%	- ; -	EH C3;H412,-
BENZOIC ACID, 2-HYDROXY-, 3-METHYLBUTYL ESTER	2050-08-0	218-080-2		0.1-<1%	Xn-N ; R22-R50/53	ATO 4-EH A1-EH C1; H302-H410,-
ETHYLENE BRASSYLATE	105-95-3	203-347-8		0.1-<1%	N ; R51/53	-;-,-
alpha-HEXYLCINNAMALDEHYDE	101-86-0	202-983-3		0.1-<1%	Xi-N ; R38-R43-R50/53	SS 1B-EH A1-EH C2;H317-H400-H411,-
2-tert-BUTYLCYCLOHEXYL ACETATE	88-41-5	201-828-7		0.1-<1%	N ; R51/53	EH C2;H411,-
METHYL CEDRYL KETONE	32388-55-9	251-020-3		0.1-<1%	Xi-N ; R43-R50/53	SS 1B-EH A1-EH C1;H317-H410,-
BUTYLPHENYL METHYLPROPIONAL	80-54-6	201-289-8		0.1-<1%	Xn-N ; R22-R38-R43-R62-R51/53	ATO 4-SCI 2-SS 1B-REP 2-EH C2;H302-H315-H317-H361-H411,-
EUGENOL	97-53-0	202-589-1		0.1-<1%	Xi ; R36-R43	EDI 2-SS 1-SS 1B;H317-H319,-
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	31906-04-4	250-863-4		0.1-<1%	Xi ; R43	SS 1-SS 1B;H317,-
Alpha, Alpha-DIMETHYLPHENETHYL BUTYRATE	10094-34-5	233-221-8		0.1-<1%	N ; R51/53	EH C2;H411,-
Beta-IONONE	14901-07-6, 79-77-6	238-969-9		0.1-<1%	F-N ; R11-R51/53	FL 2-EH C2;H225-H411,-
OXACYCLOHEXADECEN-2-ONE	111879-80-2	422-320-3		0.1-<1%	N ; R50/53	EH A1-EH C1;H410,-
CHROMEN-2-ONE	91-64-5	202-086-7		0.1-<1%	Xn ; R22-R43	ATO 4-SS 1-SS 1B;H302-H317,-
1,3-BENZODIOXOLE-5-CARBOXALDEHYDE	120-57-0	204-409-7		0.1-<1%	Xi ; R43	SS 1B;H317,-
BENZYL SALICYLATE	118-58-1	204-262-9		0.1-<1%	Xi-N ; R43-R51/53	SS 1-SS 1B-EH C3;H317-H412,-
METHYL-2-OCTYNOATE	111-12-6	203-836-6		<0.1%	Xn ; R22-R43	ATO 4-SS 1-SS 1A;H302-H317,-

**Substances with Community workplace exposure limits:**

Name	CAS	EC	%
DIETHYL PHTHALATE	84-66-2	201-550-6	0.01824%
METHOXY PROPOXY PROPANOL	34590-94-8	252-104-2	1.50525%

**Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:**

Not Applicable

### Section 4. First-aid measures

#### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

**Skin exposure:** Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.

**Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

### 7.3 Specific end use(s):

Use in accordance with good manufacturing and industrial hygiene practices.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

**Workplace exposure limits:**

Ingredient	CAS	EC	Description	ppm	mg/m <sup>3</sup>	Reference
DIETHYL PHTHALATE	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA reference period)	-	5.00000	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	10.00000	UK EH40 Oct 2007
METHOXY PROPOXY PROPANOL	34590-94-8	252-104-2	Long-term exposure limit (8-hour TWA reference period)	50.00000	308.00000	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	-	UK EH40 Oct 2007

### 8.2 Exposure Controls

#### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Appearance:** Not determined

**Odour:** Not determined

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

**pH:** Not determined  
**Initial boiling point / range:** Not determined  
**Flash point:** Not determined  
**Vapour pressure:** Not determined  
**Relative density:** Not determined  
**Solubility(ies):** Not determined  
**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

#### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

#### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

#### 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

This material does not meet the criteria for classification for health hazards under Regulation (EC) No 1272/2008.

<b>Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity:</b>	33552.3
<b>Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:</b>	84979.85
<b>Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:</b>	Not Available
<b>Inhalation Route:</b>	Not Available

**Information about hazardous ingredients in the mixture**

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
BENZOIC ACID, PHENYL METHYL ESTER	120-51-4	204-402-9	1500	4000	Not available	Not available

Refer to Sections 2 and 3 for additional information.

### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

#### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### Section 14. Transport information

**14.1 UN number:** UN3082

**14.2 UN Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BENZOIC ACID, 2-HYDROXY-, 3-METHYLBUTYL ESTER, METHYL CEDRYL KETONE)

**14.3 Transport hazard class(es):** 9

**Sub Risk:** -

**14.4. Packing Group:** III

**14.5 Environmental hazards:** This is an environmentally hazardous substance.

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

### Section 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

#### Key to revisions:

Not applicable

#### Key to abbreviations:

Abbreviation	Meaning
ATO 4	Acute Toxicity - Oral Category 4
EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 2	Flammable Liquid, Hazard Category 2
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** NEW CAR (37.5% in Non hazardous filler) CC4937

**Version:**

P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P330	Rinse mouth.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1A	Sensitization - Skin Category 1A
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.