

# SAFETY DATA SHEET DRIVELINE MTF 75W-90

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

Product name DRIVELINE MTF 75W-90

Product number KAR010, KAR020, KAR199, KAR455

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Engine oil.

# 1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

Manufacturer TETROSYL LIMITED

Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com

# 1.4. Emergency telephone number

**Emergency telephone** +44 (0)161 764 5981

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

**Environmental hazards** Aquatic Chronic 2 - H411

# 2.2. Label elements

Hazard pictograms



Revision date: 29/05/2019 Revision: 2 Supersedes date: 15/01/2019

# **DRIVELINE MTF 75W-90**

Hazard statements EUH208 Contains REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-

YL)DITHIOPHOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND

AMINES, C12-14 ALKYL (BRANCHED), REACTION PRODUCTS OF 1,3,4-

THIADIAZOLIDINE-2,5-DITHIONE, FORMALDEHYDE AND PHENOL, HEPTYL DERIVS."..

May produce an allergic reaction.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with national regulations.

# 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

# DISTILLATES, HYDROTREATED HEAVY PARAFFINIC

60-100%

<3% DMSO EXTRACT (IP 346)

 REACH registration number: 01-

2119484627-25-0000

# Classification

Asp. Tox. 1 - H304

# DISTILLATES (PETROLEUM), HYDROTREATED LIGHT PARAFFINIC (<3% DMSO EXTRACT, IP 346)

3-<5.0%

CAS number: 64742-55-8 EC number: 265-158-7 REACH registration number: 01-

2119487077-29-0000

#### Classification

Asp. Tox. 1 - H304

# DISTILLATES (PETROLEUM), HYDROTREATED LIGHT

1-<2%

NAPHTHENIC. <3% DMSO EXTRACT

CAS number: 64742-53-6 EC number: 265-156-6

REACH registration number: 01-

2119480375-34-0000

#### Classification

Asp. Tox. 1 - H304

REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-YL)DITHIOPHOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND AMINES, C12-14 ALKYL (BRANCHED)

0.5-<1%

CAS number: — EC number: 931-384-6

REACH registration number: 01-

2119493620-38-0000

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411

OLEYLAMINE 0.3-<0.5%

CAS number: 112-90-3 EC number: 204-015-5

M factor (Acute) = 10 M factor (Chronic) = 10

Classification

Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 STOT RE 2 - H373 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

REACTION PRODUCTS OF 1,3,4-THIADIAZOLIDINE-2,5-DITHIONE, FORMALDEHYDE AND PHENOL, HEPTYL DERIVS.".

0.1-<0.3%

CAS number: — EC number: 939-460-0 REACH registration number: 01-2119971727-23-0000

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 Aquatic Chronic 3 - H412 Revision date: 29/05/2019 Revision: 2 Supersedes date: 15/01/2019

#### **DRIVELINE MTF 75W-90**

TOLUENE <0.1

CAS number: 108-88-3 EC number: 203-625-9 REACH registration number: 01-

2119471310-51-0000

Classification

Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304

The full text for all hazard statements is displayed in Section 16.

# SECTION 4: First aid measures

# 4.1. Description of first aid measures

General information Get medical attention if any discomfort continues. Remove affected person from source of

contamination. Move affected person to fresh air and keep warm and at rest in a position

comfortable for breathing.

Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing.

**Ingestion** Contact physician if larger quantity has been consumed. Rinse mouth thoroughly with water.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Do not rub eye.

# 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure. Effects may be delayed. Keep affected person under observation.

Inhalation May cause an asthma-like shortness of breath. Vapours may cause headache, fatigue,

dizziness and nausea.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting. May cause nausea,

headache, dizziness and intoxication.

Skin contact Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Eye contact** May cause temporary eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor 
No specific recommendations. If in doubt, get medical attention promptly.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). No unusual fire or explosion

hazards noted.

Hazardous combustion

products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Oxides of carbon.

#### 5.3. Advice for firefighters

Special protective equipment

for firefighters

Leave danger zone immediately.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Follow precautions for safe handling describe

Follow precautions for safe handling described in this safety data sheet. Avoid inhalation of vapours. Avoid contact with eyes and prolonged skin contact. Provide adequate ventilation. In case of spills, beware of slippery floors and surfaces.

#### 6.2. Environmental precautions

**Environmental precautions** 

Avoid or minimise the creation of any environmental contamination. Do not discharge into drains or watercourses or onto the ground. Collect and dispose of spillage as indicated in Section 13.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Stop leak if possible without risk. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

# 6.4. Reference to other sections

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See Section 12 for additional information on ecological hazards.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Do not eat, drink or smoke when using the product. Avoid the formation of mists. Provide adequate ventilation. Always remove oil with soap and water or skin cleaning agent, never use organic solvents. Do not use oil-contaminated clothing or shoes, and do not put rags moistened with oil into pockets.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep containers upright. Store in tightly-closed, original container.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

#### **TOLUENE**

Long-term exposure limit (8-hour TWA): WEL 50 ppm 191 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 384 mg/m³ Sk

WEL = Workplace Exposure Limit Sk = Can be absorbed through skin.

#### 8.2. Exposure controls

# Protective equipment







Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

Colour

Wash contaminated clothing before reuse. Wash promptly with soap and water if skin

becomes contaminated.

**Respiratory protection** No specific recommendations.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Straw.

Appearance Clear liquid.

Odour Oil-like.

pH Not determined.Melting point Not determined.

Initial boiling point and range >250°C @ 1013 hPa

Flash point 220°C

**Evaporation rate** Not determined.

Upper/lower flammability or explosive limits

Not determined.

Vapour pressure

Vapour density

Not determined.

Relative density 0.86g/cm³ @ 20°C

6/9

Revision date: 29/05/2019 Revision: 2 Supersedes date: 15/01/2019

# **DRIVELINE MTF 75W-90**

Solubility(ies) Insoluble in water.

Partition coefficient Not determined.

Auto-ignition temperature Not determined.

**Decomposition Temperature** Not determined.

Viscosity 90.0 mm²/s @ 40°C

**Explosive properties** Not considered to be explosive.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information None.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

## 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

## 10.6. Hazardous decomposition products

Hazardous decomposition

Does not decompose when used and stored as recommended.

products

#### SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

**Toxicological effects** No information available.

**Inhalation** No specific health hazards known.

**Ingestion** May cause discomfort if swallowed.

Skin contact May cause an allergic skin reaction. Prolonged and frequent contact may cause redness and

irritation.

**Eye contact** Causes serious eye irritation.

# **SECTION 12: Ecological information**

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not available.

Acute toxicity - aquatic Not available.

invertebrates

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

Partition coefficient Not determined.

12.4. Mobility in soil

Adsorption/desorption

coefficient

Not available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not available.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Confirm disposal procedures with environmental engineer and local regulations.

#### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

# 14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

# 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Health & Safety Department

Revision date 29/05/2019

Revision 2

Supersedes date 15/01/2019

SDS number 32048

SDS status Approved.

Hazard statements in full H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways. H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains REACTION PRODUCTS OF BIS(4-METHYLPENTAN-2-

YL)DITHIOPHOSPHORIC ACID WITH PHOSPHORUS OXIDE, PROPYLENE OXIDE AND

AMINES, C12-14 ALKYL (BRANCHED), REACTION PRODUCTS OF 1,3,4-

THIADIAZOLIDINE-2,5-DITHIONE, FORMALDEHYDE AND PHENOL, HEPTYL DERIVS."..

May produce an allergic reaction.