



## SAFETY DATA SHEET EXHAUST REPAIR PASTE

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name EXHAUST REPAIR PASTE  
Product No. MEP251

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Car maintenance product.

#### 1.3. Details of the supplier of the safety data sheet

Supplier TETROSYL LIMITED  
BEVIS GREEN WORKS  
WALMERSLEY  
BURY  
BL9 6RE  
0161 764 5981  
0161 797 5899  
info@tetrosyl.com

Manufacturer TETROSYL LIMITED  
BEVIS GREEN WORKS  
WALMERSLEY  
BURY  
BL9 6RE  
0161 764 5981  
0161 797 5899  
info@tetrosyl.com

#### 1.4. Emergency telephone number

0161 764 5981

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Not classified.
Human health	Skin Irrit. 2 - H315; Eye Irrit. 2 - H319
Environment	Not classified.

Classification (1999/45/EEC) Not classified.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Human health

See section 11 for additional information on health hazards.

#### 2.2. Label elements

**EXHAUST REPAIR PASTE**

Detergent Labelling:

&lt; 5% polycarboxylates

Label In Accordance With (EC) No. 1272/2008



Signal Word	Warning	
Hazard Statements	H315	Causes skin irritation.
	H319	Causes serious eye irritation.
Precautionary Statements	P101	If medical advice is needed, have product container or label at hand.
	P102	Keep out of reach of children.
	P280	Wear protective gloves.
		Wear eye protection.
	P302+352	IF ON SKIN: Wash with plenty of soap and water.
	P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplementary Precautionary Statements	P310	Immediately call a POISON CENTER or doctor/physician.
	P264	Wash contaminated skin thoroughly after handling.
	P321	Specific treatment (see medical advice on this label).
	P313	Get medical advice/attention.
	P332+313	If skin irritation occurs: Get medical advice/attention.
	P337	If eye irritation persists:
	P362	Take off contaminated clothing and wash before reuse.

**2.3. Other hazards**

This product does not contain any PBT or vPvB substances.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures**

CRISTOBALITE/QUARTZ MIXTURE	1-5%
CAS-No.: 14808-60-7	EC No.: 238-878-4
Classification (EC 1272/2008) STOT RE 2 - H373	Classification (67/548/EEC) Xn;R48/20.
SILICATE FIBRES	1-5%
CAS-No.: 287922-11-6	EC No.:
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Xi;R38.

**EXHAUST REPAIR PASTE**

SODIUM SILICATE		10-30%
CAS-No.: 1344-09-8	EC No.:	
Classification (EC 1272/2008) Not classified.	Classification (67/548/EEC) Xi;R36/38.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: FIRST AID MEASURES****4.1. Description of first aid measures**

## General information

Remove affected person from source of contamination. Get medical attention if any discomfort continues.

## Inhalation

Get medical attention if any discomfort continues.

## Ingestion

Consult a physician for specific advice.

## Skin contact

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above.

## Eye contact

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Do not rub eye.

**4.2. Most important symptoms and effects, both acute and delayed**

## General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

NOTE! Effects may be delayed. Keep affected person under observation.

## Inhalation

No specific symptoms noted.

## Ingestion

May cause discomfort if swallowed. May cause stomach pain or vomiting.

## Skin contact

Prolonged contact may cause redness, irritation and dry skin.

## Eye contact

May cause temporary eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!

**SECTION 5: FIREFIGHTING MEASURES****5.1. Extinguishing media**

## Extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

## Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

## Hazardous combustion products

There are no anticipated hazardous decomposition products associated with this material.

**EXHAUST REPAIR PASTE****Unusual Fire & Explosion Hazards**

No unusual fire or explosion hazards noted.

Specific hazards

Not relevant

**5.3. Advice for firefighters**

Special Fire Fighting Procedures

No specific fire fighting procedure given.

Protective equipment for fire-fighters

Leave danger zone immediately.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces.

**6.2. Environmental precautions**

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

**6.3. Methods and material for containment and cleaning up**

For waste disposal, see section 13. When dealing with a spillage, please consult the section relating to suitable protective measures. Provide ventilation and confine spill. Do not allow runoff to sewer. Absorb spillage with non-combustible, absorbent material.

**6.4. Reference to other sections**

Collect and dispose of spillage as indicated in section 13. For personal protection, see section 8.

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling**

Read and follow manufacturer's recommendations. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Avoid contact with eyes. Avoid eating, drinking and smoking when using the product.

**7.2. Conditions for safe storage, including any incompatibilities**

Keep upright. Store in tightly closed original container.

**7.3. Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters**

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
CRISTOBALITE/QUARTZ MIXTURE	WEL	0,1 mg/m <sup>3</sup>		

WEL = Workplace Exposure Limit.

**8.2. Exposure controls**

Protective equipment

**EXHAUST REPAIR PASTE****Process conditions**

Use engineering controls to reduce air contamination to permissible exposure level.

**Engineering measures**

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

**Respiratory equipment**

Respiratory protection not required.

**Hand protection**

For prolonged or repeated skin contact use suitable protective gloves.

**Eye protection**

Wear approved, tight fitting safety glasses where splashing is probable.

**Other Protection**

Wear suitable protective clothing as protection against splashing or contamination.

**Hygiene measures**

Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1. Information on basic physical and chemical properties**

Appearance	Paste
Colour	Dark. Grey.
Odour	Characteristic.
Solubility	Soluble in water.
Initial boiling point and boiling range (°C)	>100
Melting point (°C)	Scientifically unjustified.
Relative density	1.85 20
Vapour density (air=1)	Scientifically unjustified.
Vapour pressure	Scientifically unjustified.
Evaporation rate	Scientifically unjustified.
pH-Value, Conc. Solution	Scientifically unjustified.
Viscosity	>30000 cP 20
Decomposition temperature (°C)	Scientifically unjustified.
Odour Threshold, Lower	Scientifically unjustified.
Odour Threshold, Upper	Scientifically unjustified.
Flash point (°C)	Technically not feasible.
Auto Ignition Temperature (°C)	Scientifically unjustified.
Flammability Limit - Lower(%)	Scientifically unjustified.

**EXHAUST REPAIR PASTE**

Flammability Limit - Upper(%)

Scientifically unjustified.

Partition Coefficient

(N-Octanol/Water)

Scientifically unjustified.

Oxidising properties

Not determined.

**9.2. Other information**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1. Reactivity**

No specific reactivity hazards associated with this product.

**10.2. Chemical stability**

No particular stability concerns.

**10.3. Possibility of hazardous reactions**

Not applicable.

**10.4. Conditions to avoid**

No specific conditions are likely to result in a hazardous situation.

**10.5. Incompatible materials**

Materials To Avoid

No specific, or groups of materials are likely to react to produce a hazardous situation.

**10.6. Hazardous decomposition products**

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

Toxicological information

No information available.

Health Warnings

Because of quantity and composition, the health hazard is small.

**SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**12.1. Toxicity**

Acute Toxicity - Fish

Not available.

Acute Toxicity - Aquatic Invertebrates

Not available.

**12.2. Persistence and degradability**

## EXHAUST REPAIR PASTE

### Degradability

There are no data on the degradability of this product.

### 12.3. Bioaccumulative potential

#### Bioaccumulative potential

No data available on bioaccumulation.

#### Partition coefficient

Scientifically unjustified.

### 12.4. Mobility in soil

#### Mobility:

The product is soluble in water.

#### Adsorption/Desorption Coefficient

Not available.

### 12.5. Results of PBT and vPvB assessment

Not Classified as PBT/vPvB by current EU criteria.

### 12.6. Other adverse effects

Not available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### General information

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

### 13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements. Absorb in vermiculite or dry sand and dispose of at a licenced hazardous waste collection point.

## SECTION 14: TRANSPORT INFORMATION

### General

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

#### Transport Labels

No transport warning sign required.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

### 14.6. Special precautions for user

**EXHAUST REPAIR PASTE**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Uk Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.

EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

**15.2. Chemical Safety Assessment**

No chemical safety assessment has been carried out.

**SECTION 16: OTHER INFORMATION**

General information

Only trained personnel should use this material.

Revision Comments

NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision Date 06/12/2011

Revision 18

Supersedes date 15/08/2011 v17

Safety Data Sheet Status Approved.

Risk Phrases In Full

R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

R36/38 Irritating to eyes and skin.

R38 Irritating to skin.

NC Not classified.

Hazard Statements In Full

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H373 May cause damage to organs &lt;&lt;Organs&gt;&gt; through prolonged or repeated exposure.

**Disclaimer**

The information provided in this document has been compiled on the basis of our current knowledge and is believed to be in accordance with the requirements of the Dangerous Substances Directive, Dangerous Preparations Directive and Safety Data Sheets Directive. The information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. The conditions and extent of storage and use of material are outside of our control and within the control of the possessor or user. Consequently it is the responsibility of the possessor or user to satisfy themselves as to the completeness of such information and the suitability of the material for their own particular circumstances, conditions or use.