



Product: Natural Look
Revision Date: 2/18/16

SAFETY DATA SHEET

Section 1. Product and Company Identification

Product Name: Natural Look
Recommended Use(s): Leather & vinyl cleaner / conditioner
Non-Recommended / Restricted Use(s): None
Distributor: Poorboy's World UK
Bretfield Court
Dewsbury, WF12 9BG
United Kingdom
Emergency Contact: **General:** 01924 469920 UK Sales
General: +44 (0) 1924 469920 Overseas
Emergency: 1-352-323-3500 International Emergency Hotline

Section 2. Hazard Identification

GHS Classification for mixture:
Serious eye damage/eye irritation - Category 1
Acute Toxicity Oral - Category 5

Pictograms:



Signal Word:

WARNING

Hazard Statements:

H302: Harmful if swallowed
H319: Causes serious eye irritation.

Precautionary Statements:

Prevention

P264: Wash skin thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P312: IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.
P330: Rinse mouth.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313P: IF eye irritation persists: Get medical advice/attention.

Disposal

P501: Dispose of contents/container to an approved waste disposal plant.

Section 3. Composition / Information on Ingredients

Identifiers	Ingredients	Percentage	Classification
160875-66-1	Poly(oxy-1,2-ethanediyl), alpha-(propylheptyl)	10% to 20%	Eye irrit1 , Skin irrit2, Acute tox 4, Quatic acute3, Acuatic chronic 3
56-81-5	Glycerine	10% to 20%	Flam liq4, Eye irrit2
127087-87-0	Nonylphenol polyethylene glycol ether	1% to 5%	Eye irrit1 , Skin irrit2, Acute tox 4, Quatic acute3, Acuatic chronic 3

Section 4. First-Aid Measures

First-Aid: Eyes

Immediately flush with clean, low-pressure water for several minutes. Hold eyelids open to ensure adequate flushing. Remove the contact lenses if worn and easy to do that. Continue rinsing. Seek medical advice / attention.

First-Aid: Skin

Take off all contaminated clothing and wash it before reuse. Wash contaminated areas thoroughly with water. If redness or other symptoms occur, seek medical advice / attention.

First-Aid: Ingestion

In case of ingestion of large quantities immediately take the exposed person to hospital. Monitor for breathing difficulties. Small amounts of material which enter the mouth should be rinsed out until the taste is dissipated. Rinse the mouth with water.

First-Aid: Inhalation

Remove person to fresh air and keep at rest in a position comfortable for breathing.

First-Aid: Other

General advice: In all cases if in doubt or when symptoms persist, seek medical advice. Never give anything by mouth to an unconscious person. Only induce vomiting at the instruction of a physician.

Section 5. Fire-Fighting Measures

Suitable Extinguishing Media

Alcohol-resistant foam. Carbon dioxide. Powder BC. Water spray.

Unsuitable Extinguishing Media

High power water jets.

Protective Measures for Fire-Fighting

Wear protective gloves, clothing, and protective goggles to prevent contact with skin and eyes. Wear self-contained breathing apparatus.

Special Protective Actions for Fire-Fighters

Dike area to prevent runoff and contamination of water sources. Do not allow run-off from fire fighting to enter drains or water courses.

Combustion Products

Carbon dioxide (CO₂). Carbon monoxide (CO). Oxides of nitrogen (NO_x).

Specific Hazards Arising from Combustion of Products

Explosive when mixed with combustible material.

Section 6. Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate the people from the area.

Environmental Precautions

Dike area to prevent runoff and contamination of water sources. Do not discharge into drains or any body of water (rivers, streams, ponds, lakes, etc).

Clean-up Procedures

Absorb with earth, sand, or other non-combustible material. If possible, dike the area to prevent spreading.

Section 7. Handling and Storage

Precautions for Safe Handling

Ensure there is sufficient ventilation of the area. Do not eat, drink or smoke during handling. Wear protective goggles or faceshield to prevent contact with eyes.

Conditions for Safe Storage

Keep container closed when not in use. Respect the occupational health and safety standards. Store in a cool, well ventilated area. Store in accordance with all current regulations and standards.

Conditions to avoid: Frost.

Suitable Packaging

Always keep in containers made of the same materials as the supply container. Store in original container / packaging.

Section 8. Exposure Controls / Personal Protection

Control Parameters / Limits for Component

Glycerine

DNEL/DMEL Worker Oral Chronic	229 mg/kg, Systemic effects.
DNEL/DMEL General Population Inhalation Chronic	33 mg/m ³ , Local effects.
DNEL/DMEL Worker Inhalation Chronic	56 mg/m ³ , Local effects.
ACGIH	TWA 10 mg/m ³ .
OSHA PEL	TWA 15 mg/m ³ (Total dust). TWA 5 mg/m ³ (Respirable).

Section 9. Physical and Chemical Properties

Basic physical and chemical properties Information

Physical State liquid cream

Appearance Blue

Odor	Cherry Fragrance
Odor threshold	Not available
pH	4.5 to 5.5 at 25°C
Melting point	Not available
Boiling point	100°C / 212°F
Flash Point	Not available
Evaporation rate w/r/t ether	Not available
Evaporation rate w/r/t butyl acetate	Not available
Flammability	Not available
Flammability limit	Not available
Vapor pressure	3169 Pa at 25°C
Vapor density	Not available
Relative density w/r/t water	Not available
Relative density w/r/t air	Not available
Relative density w/r/t other substance	Not available
Solubility	Not available
Solubility in other solvents	Not available
Partition coefficient	Not available
Auto-ignition temperature	383°C / 721.4°F
Decomposition temperature	Not available
Viscosity	Not available
Freezing point	Not available
Density	8.27 lb/gal 0.99 g/cm ³

Section 10. Chemical Stability & Reactivity Information

Stability/Reactivity

Chemical stability: This product is stable under ambient condition.

Reactivity: The product is known to be non-reactive in ambient conditions.

Possibility of Hazardous Reactions

Dangerous reactions are not expected if the technical instructions in storage of chemicals are met. Hazardous polymerization will not occur under normal conditions.

Conditions to Avoid

Avoid strong shocks.

Keep away from: Direct sunlight.

Materials to Avoid

No incompatibilities declared.

Hazardous Products of Decomposition

Hazardous polymerization does not occur. No decomposition hazardous products are specified. This product is stable under normal storage condition.

Section 11. Toxicological Information

Toxicological Information for Product

No component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible, or confirmed human carcinogen by IARC, OSHA, or the NTP.

Toxicological Information for Component

Poly(oxy-1,2-ethanediyl), alpha-(propylheptyl)

LD 50 Oral 500 mg/kg, Rat.

LD 50 Dermal >2000 mg/kg.

Glycerine

LD 50 Oral 12600 mg/kg, Rat.
4090 mg/kg, Mouse.

LC 50 Inhalation 570 mg/m³(1h).

LD 50 Dermal >10 g/kg.

Nonylphenol polyethylene glycol ether

LD 50 Oral 960-3980 mg/kg, Rat.

LC 50 Inhalation 1150 ppm.

LD 50 Dermal 2000-2991 mg/kg, Rabbit.

Irritation/Corrosion Information for Component

Glycerine

Skin: 500 mg/24h, mild, Draize test, Rabbit.

Eye: 126 mg, mild, Draize test, rabbit.

Section 12. Ecological Information

Ecotoxicity Values for Component

Poly(oxy-1,2-ethanediyl), alpha-(propylheptyl)

EC 50 Crustacean: 10-100 mg/l(48h), Daphnia magna.

LC 50 Fish: 10-100 mg/l(96h).

EC 50 Algae: 10-100 mg/l (72h).

Glycerine

LC 50 Fish: 50-67 mg/l LC50 (96 h), Rainbow trout. >5000 mg/l, goldfish.

Section 13. Disposal Considerations

Waste Disposal Regulation(s) / Operation

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of national pollutant discharge elimination systems. Whenever possible, reuse containers. To do this, rinse container with water and reuse water for another iteration or treat effluent as product residue as indicated in above. Disposal, treatment, or recycling of industrial waste must comply with applicable regulations to preserve the environment.

Section 14. Transportation Information

Other

This product is not regulated for transport.

Section 15. Regulatory Information

Safety, Health and Environmental Regulations for Component

Poly(oxy-1,2-ethanediyl), alpha-(propylheptyl)

EUROPE:	European Inventory of Existing Commercial Chemical Substances (EINECS): listed.
CANADA:	Domestic Substances List (DSL): listed.
US:	TSCA (Toxic Substances Control Act): listed.

Glycerine

EUROPE:	European Inventory of Existing Commercial Chemical Substances (EINECS): listed.
CANADA:	DSL: This component is listed on the DSL list.
US:	TSCA (Toxic Substances Control Act): listed.

Nonylphenol polyethylene glycol ether

EUROPE:	European Inventory of Existing Commercial Chemical Substances (EINECS): listed.
CANADA:	Domestic Substances List (DSL): listed.
US:	TSCA (Toxic Substances Control Act): listed.

Section 16. Other Information

Glossary

ACGIH:	American Conference of Governmental Industrial Hygienists.
Acute tox:	Acute toxicity.
ADR:	Accord europeen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road).
ATE:	Acute Toxicity Estimate.
BCF:	BioConcentration Factor.
CAS:	Chemical Abstracts Service (Service that maintains the most comprehensive list of chemical substances).
CEPA:	Canadian Environmental Protection Act.
CERCLA:	Comprehensive Environmental Response, Compensation, and Liability Act.
CLP:	Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.
CMR:	Carcinogenic, Mutagenic or toxic for Reproduction.
DMEL:	Derived Minimal Effect Level.
DNEL:	Derived No-Effect Level.
DOT:	Department of Transportation USA.
DSL:	Canadian Domestic Substances List.
EC50:	Effective concentration of a substance that causes 50% of the maximum response

ErC50:	ErC50 means EC50 in terms of reduction of growth rate after exposure. Damaging to eyes.
Eye dam:	Irritant to the eye.
Eye irrit:	Irritant to the eye.
Flam liq:	Flammable liquid.
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals” developed by the United Nations.
IARC monographs:	IARC Monographs on the Evaluation of Carcinogenic Risks to Humans.
IATA/DGR:	Dangerous Goods Regulations (DGR) for the air transport (IATA).
ICAO:	International Civil Aviation Organization.
LD50:	The dose required to produce the death in 50 percent of the exposed species within a specified time.
LOAEC:	Lowest adverse effects concentrations.
Log KOW:	n-octanol/water.
MARPOL:	International Convention for the Prevention of Pollution from Ships (abbr. of Marine Pollutant).
Met corr:	Corrosive to metals.
N/A:	Not available.
N/D:	Not determined.
NDSL:	Canadian Non-Domestic Substances List.
NIOSH:	National Institute for Occupational Safety and Health.
NOAEL:	No-observed-adverse-effect-level.
OSHA:	Occupational Safety and Health Administration (United States).
PBT:	Persistent, Bioaccumulative and Toxic.
PEL:	Permissible exposure limit. An exposure limit that is published and enforced by OSHA as a legal standard.
PNEC:	Predicted No-Effect Concentration.
ppm:	Parts per million.
REL:	Recommended exposure limit.
RTECS:	Registry of Toxic Effects of Chemical Substances.
SARA:	Superfund Amendments and Reauthorization Act.
Skin . corr:	Corrosive to Skin.
Skin irrit:	Irritant to Skin.
TSCA:	Toxic Substances Control Act.
TWA:	Time-weighted average.
UN:	United Nations.
vPvB:	Very Persistent and Very Bioaccumulative.
WHIMIS:	Workplace Hazardous Materials Information System.